

For proper performance of DELTA®-DRY ensure top and bottom remain open to allow ventilation and drainage

SUBSTANTIAL EFFORT HAS BEEN MADE TO ENSURE THAT THE INFORMATION IN THIS DETAIL DRAWING IS ACCURATE. DÖRKEN SYSTEMS INC. CANNOT ACCEPT RESPONSIBILITY FOR ANY ERRORS OR OVERSIGHTS IN THE USE OF THIS MATERIAL OR IN THE PREPARATION OF ARCHITECTURAL OR ENGINEERING PLANS. THE DESIGN PROFESSIONAL MUST RECOGNIZE THAT NO DESIGN DETAIL CAN SUBSTITUTE FOR EXPERIENCED ENGINEERING AND PROFESSIONAL JUDGEMENT.

TITLE:


TYPICAL RESIDENTIAL
DELTA®-DRY STUCCO & STONE WITH
EXTERIOR INSULATION BASE OF WALL
AT FOUNDATION

DRAWN BY: Krzysztof Apriasz C. Tech. CPHC®
January 2021

 DÖRKEN

DELTA®

4655 DELTA WAY BEAMSVILLE, ON.
L3J 0T6 CANADA



For proper performance of DELTA®-DRY ensure top and bottom remain open to allow ventilation and drainage

SUBSTANTIAL EFFORT HAS BEEN MADE TO ENSURE THAT THE INFORMATION IN THIS DETAIL DRAWING IS ACCURATE. DÖRKEN SYSTEMS INC. CANNOT ACCEPT RESPONSIBILITY FOR ANY ERRORS OR OVERSIGHTS IN THE USE OF THIS MATERIAL OR IN THE PREPARATION OF ARCHITECTURAL OR ENGINEERING PLANS. THE DESIGN PROFESSIONAL MUST RECOGNIZE THAT NO DESIGN DETAIL CAN SUBSTITUTE FOR EXPERIENCED ENGINEERING AND PROFESSIONAL JUDGEMENT.


TITLE:
**TYPICAL RESIDENTIAL
 DELTA®-DRY STUCCO & STONE
 EXTERIOR INSULATION WINDOW SILL
 DETAIL**

DRAWN BY: Krzysztof Apriasz C. Tech. CPHC®
 January 2021

DÖRKEN

DELTA®

4655 DELTA WAY BEAMSVILLE, ON.
 L3J 0T6 CANADA




For proper performance of DELTA®-DRY ensure top and bottom remain open to allow ventilation and drainage

SUBSTANTIAL EFFORT HAS BEEN MADE TO ENSURE THAT THE INFORMATION IN THIS DETAIL DRAWING IS ACCURATE. DÖRKEN SYSTEMS INC. CANNOT ACCEPT RESPONSIBILITY FOR ANY ERRORS OR OVERSIGHTS IN THE USE OF THIS MATERIAL OR IN THE PREPARATION OF ARCHITECTURAL OR ENGINEERING PLANS. THE DESIGN PROFESSIONAL MUST RECOGNIZE THAT NO DESIGN DETAIL CAN SUBSTITUTE FOR EXPERIENCED ENGINEERING AND PROFESSIONAL JUDGEMENT.

TITLE:
**TYPICAL RESIDENTIAL
 DELTA®-DRY STUCCO & STONE
 EXTERIOR INSULATION WINDOW
 HEAD DETAIL**

DRAWN BY: Krzysztof Apriasz C. Tech. CPHC®
 January 2021

DÖRKEN
DELTA®
 4655 DELTA WAY BEAMSVILLE, ON.
 L3J 0T6 CANADA



- Trim finish
- Min. $\frac{3}{8}$ " gap between flashings for ventilation
- J-trim / starter strip as per the standard installation instructions
- DELTA[®]-BUG SCREEN
- Stucco finish
- Scratch coat
- Wire lath
- DELTA[®]-DRY STUCCO & STONE
- Mineral wool exterior insulation
- DELTA[®]-VENT SA

For proper performance of DELTA[®]-DRY ensure top and bottom remain open to allow ventilation and drainage

SUBSTANTIAL EFFORT HAS BEEN MADE TO ENSURE THAT THE INFORMATION IN THIS DETAIL DRAWING IS ACCURATE. DÖRKEN SYSTEMS INC. CANNOT ACCEPT RESPONSIBILITY FOR ANY ERRORS OR OVERSIGHTS IN THE USE OF THIS MATERIAL OR IN THE PREPARATION OF ARCHITECTURAL OR ENGINEERING PLANS. THE DESIGN PROFESSIONAL MUST RECOGNIZE THAT NO DESIGN DETAIL CAN SUBSTITUTE FOR EXPERIENCED ENGINEERING AND PROFESSIONAL JUDGEMENT.

TITLE:


TYPICAL RESIDENTIAL
 DELTA[®]-DRY STUCCO & STONE
 EXTERIOR INSULATION
 TOP OF WALL DETAIL

DRAWN BY: Krzysztof Apriasz C. Tech. CPHC[®]
 January 2021



DELTA[®]

4655 DELTA WAY BEAMSVILLE, ON.
 L3J 0T6 CANADA



For proper performance of DELTA®-DRY ensure top and bottom remain open to allow ventilation and drainage

SUBSTANTIAL EFFORT HAS BEEN MADE TO ENSURE THAT THE INFORMATION IN THIS DETAIL DRAWING IS ACCURATE. DÖRKEN SYSTEMS INC. CANNOT ACCEPT RESPONSIBILITY FOR ANY ERRORS OR OVERSIGHTS IN THE USE OF THIS MATERIAL OR IN THE PREPARATION OF ARCHITECTURAL OR ENGINEERING PLANS. THE DESIGN PROFESSIONAL MUST RECOGNIZE THAT NO DESIGN DETAIL CAN SUBSTITUTE FOR EXPERIENCED ENGINEERING AND PROFESSIONAL JUDGEMENT.

TITLE:


TYPICAL RESIDENTIAL
 DELTA®-DRY STUCCO & STONE
 EXTERIOR INSULATION TRANSITION
 DETAIL

DRAWN BY: Krzysztof Apiasz C. Tech. CPHC®
 January 2021

DÖRKEN

DELTA®

4655 DELTA WAY BEAMSVILLE, ON.
 L3J 0T6 CANADA



Mineral wool exterior insulation

DELTA®-VENT SA

Vertical control joint

Stucco finish

Scratch coat

Wire lath

DELTA®-DRY STUCCO & STONE

For proper performance of DELTA®-DRY ensure top and bottom remain open to allow ventilation and drainage

SUBSTANTIAL EFFORT HAS BEEN MADE TO ENSURE THAT THE INFORMATION IN THIS DETAIL DRAWING IS ACCURATE. DÖRKEN SYSTEMS INC. CANNOT ACCEPT RESPONSIBILITY FOR ANY ERRORS OR OVERSIGHTS IN THE USE OF THIS MATERIAL OR IN THE PREPARATION OF ARCHITECTURAL OR ENGINEERING PLANS. THE DESIGN PROFESSIONAL MUST RECOGNIZE THAT NO DESIGN DETAIL CAN SUBSTITUTE FOR EXPERIENCED ENGINEERING AND PROFESSIONAL JUDGEMENT.

TITLE:


**TYPICAL RESIDENTIAL
DELTA®-DRY STUCCO & STONE
EXTERIOR INSULATION VERTICAL
CONTROL JOINT DETAIL**

DRAWN BY: Krzysztof Apriasz C. Tech. CPHC®
January 2021

DÖRKEN

DELTA®

4655 DELTA WAY BEAMSVILLE, ON.
L3J 0T6 CANADA



For proper performance of DELTA®-DRY ensure top and bottom remain open to allow ventilation and drainage

SUBSTANTIAL EFFORT HAS BEEN MADE TO ENSURE THAT THE INFORMATION IN THIS DETAIL DRAWING IS ACCURATE. DÖRKEN SYSTEMS INC. CANNOT ACCEPT RESPONSIBILITY FOR ANY ERRORS OR OVERSIGHTS IN THE USE OF THIS MATERIAL OR IN THE PREPARATION OF ARCHITECTURAL OR ENGINEERING PLANS. THE DESIGN PROFESSIONAL MUST RECOGNIZE THAT NO DESIGN DETAIL CAN SUBSTITUTE FOR EXPERIENCED ENGINEERING AND PROFESSIONAL JUDGEMENT.

TITLE:


TYPICAL RESIDENTIAL
 DELTA®-DRY STUCCO & STONE WITH
 EXTERIOR INSULATION BASE OF WALL
 AT FOUNDATION

DRAWN BY: Krzysztof Apriasz C. Tech. CPHC®
 January 2021

DÖRKEN

DELTA®

4655 DELTA WAY BEAMSVILLE, ON.
 L3J 0T6 CANADA



For proper performance of DELTA®-DRY ensure top and bottom remain open to allow ventilation and drainage

SUBSTANTIAL EFFORT HAS BEEN MADE TO ENSURE THAT THE INFORMATION IN THIS DETAIL DRAWING IS ACCURATE. DÖRKEN SYSTEMS INC. CANNOT ACCEPT RESPONSIBILITY FOR ANY ERRORS OR OVERSIGHTS IN THE USE OF THIS MATERIAL OR IN THE PREPARATION OF ARCHITECTURAL OR ENGINEERING PLANS. THE DESIGN PROFESSIONAL MUST RECOGNIZE THAT NO DESIGN DETAIL CAN SUBSTITUTE FOR EXPERIENCED ENGINEERING AND PROFESSIONAL JUDGEMENT.

TITLE:


TYPICAL RESIDENTIAL
 DELTA®-DRY STUCCO & STONE
 EXTERIOR INSULATION WINDOW
 SILL DETAIL

DRAWN BY: Krzysztof Apiasz C. Tech. CPHC®
 January 2021

DÖRKEN

DELTA®

4655 DELTA WAY BEAMSVILLE, ON.
 L3J 0T6 CANADA



For proper performance of DELTA®-DRY ensure top and bottom remain open to allow ventilation and drainage

SUBSTANTIAL EFFORT HAS BEEN MADE TO ENSURE THAT THE INFORMATION IN THIS DETAIL DRAWING IS ACCURATE. DÖRKEN SYSTEMS INC. CANNOT ACCEPT RESPONSIBILITY FOR ANY ERRORS OR OVERSIGHTS IN THE USE OF THIS MATERIAL OR IN THE PREPARATION OF ARCHITECTURAL OR ENGINEERING PLANS. THE DESIGN PROFESSIONAL MUST RECOGNIZE THAT NO DESIGN DETAIL CAN SUBSTITUTE FOR EXPERIENCED ENGINEERING AND PROFESSIONAL JUDGEMENT.

TITLE:


TYPICAL RESIDENTIAL
 DELTA®-DRY STUCCO & STONE
 EXTERIOR INSULATION WINDOW
 HEAD DETAIL

DRAWN BY: Krzysztof Apriasz C. Tech. CPHC®
 January 2021

DÖRKEN

DELTA®

4655 DELTA WAY BEAMSVILLE, ON.
 L3J 0T6 CANADA



For proper performance of DELTA[®]-DRY ensure top and bottom remain open to allow ventilation and drainage

SUBSTANTIAL EFFORT HAS BEEN MADE TO ENSURE THAT THE INFORMATION IN THIS DETAIL DRAWING IS ACCURATE. DÖRKEN SYSTEMS INC. CANNOT ACCEPT RESPONSIBILITY FOR ANY ERRORS OR OVERSIGHTS IN THE USE OF THIS MATERIAL OR IN THE PREPARATION OF ARCHITECTURAL OR ENGINEERING PLANS. THE DESIGN PROFESSIONAL MUST RECOGNIZE THAT NO DESIGN DETAIL CAN SUBSTITUTE FOR EXPERIENCED ENGINEERING AND PROFESSIONAL JUDGEMENT.

TITLE:


TYPICAL RESIDENTIAL
DELTA[®]-DRY STUCCO & STONE
EXTERIOR INSULATION
TOP OF WALL DETAIL

DRAWN BY: Krzysztof Apiasz C. Tech. CPHC[®]
January 2021

 DÖRKEN

DELTA[®]

4655 DELTA WAY BEAMSVILLE, ON.
L3J 0T6 CANADA



For proper performance of DELTA®-DRY ensure top and bottom remain open to allow ventilation and drainage

SUBSTANTIAL EFFORT HAS BEEN MADE TO ENSURE THAT THE INFORMATION IN THIS DETAIL DRAWING IS ACCURATE. DÖRKEN SYSTEMS INC. CANNOT ACCEPT RESPONSIBILITY FOR ANY ERRORS OR OVERSIGHTS IN THE USE OF THIS MATERIAL OR IN THE PREPARATION OF ARCHITECTURAL OR ENGINEERING PLANS. THE DESIGN PROFESSIONAL MUST RECOGNIZE THAT NO DESIGN DETAIL CAN SUBSTITUTE FOR EXPERIENCED ENGINEERING AND PROFESSIONAL JUDGEMENT.

TITLE:


TYPICAL RESIDENTIAL
 DELTA®-DRY STUCCO & STONE
 EXTERIOR INSULATION TRANSITION
 DETAIL

DRAWN BY: Krzysztof Apriasz C. Tech. CPHC®
 January 2021



DELTA®

4655 DELTA WAY BEAMSVILLE, ON.
 L3J 0T6 CANADA



Option 1
 Will provide ventilation, drying and drainage if water gets behind the insulation.

****For proper performance of DELTA[®]-DRY ensure top and bottom remain open to allow ventilation and drainage****

SUBSTANTIAL EFFORT HAS BEEN MADE TO ENSURE THAT THE INFORMATION IN THIS DETAIL DRAWING IS ACCURATE. DÖRKEN SYSTEMS INC. CANNOT ACCEPT RESPONSIBILITY FOR ANY ERRORS OR OVERSIGHTS IN THE USE OF THIS MATERIAL OR IN THE PREPARATION OF ARCHITECTURAL OR ENGINEERING PLANS. THE DESIGN PROFESSIONAL MUST RECOGNIZE THAT NO DESIGN DETAIL CAN SUBSTITUTE FOR EXPERIENCED ENGINEERING AND PROFESSIONAL JUDGEMENT.


TITLE:

**TYPICAL RESIDENTIAL
 DELTA[®]-DRY WALL SECTION WITH XPS
 OR EPS RIGID INSULATION OPTION 1**

DRAWN BY: Krzysztof Apriasz C. Tech. CPHC[®]
 January 2021



4655 DELTA WAY BEAMSVILLE, ON.
 L3J 0T6 CANADA



Option 2
 Will provide drainage behind stucco only. Does not provide drying for exterior sheathing.

For proper performance of DELTA[®]-DRY ensure top and bottom remain open to allow ventilation and drainage

SUBSTANTIAL EFFORT HAS BEEN MADE TO ENSURE THAT THE INFORMATION IN THIS DETAIL DRAWING IS ACCURATE. DÖRKEN SYSTEMS INC. CANNOT ACCEPT RESPONSIBILITY FOR ANY ERRORS OR OVERSIGHTS IN THE USE OF THIS MATERIAL OR IN THE PREPARATION OF ARCHITECTURAL OR ENGINEERING PLANS. THE DESIGN PROFESSIONAL MUST RECOGNIZE THAT NO DESIGN DETAIL CAN SUBSTITUTE FOR EXPERIENCED ENGINEERING AND PROFESSIONAL JUDGEMENT.

TITLE:

TYPICAL RESIDENTIAL
 DELTA[®]-DRY STUCCO & STONE WALL
 SECTION WITH XPS OR EPS RIGID
 INSULATION OPTION 2

DRAWN BY: Krzysztof Apriasz C. Tech. CPHC[®]
 January 2021

DÖRKEN

DELTA[®]

4655 DELTA WAY BEAMSVILLE, ON.
 L3J 0T6 CANADA